


ALKALINE-MANGANESE DIOXIDE BATTERY



Size: 9V (6LR61) PX1604



Dimensions shown are IEC standards

KEY FEATURES

- Reliable Performance
- Excellent resistance to corrosion
- Designed to meet all major quality, safety and environmental standards:
 - o Safety: IEC 60086-5
- o ANSI C 18.1M, Part-2
- o EU Battery Directive
- Quality: ISO 14001 and 9001, Duracell World Class Continuous Improvement Program

TYPICAL APPLICATIONS

- Carbon Monoxide Detectors
- Smoke Detectors
- Multimeters
- Medical Devices
- Microphones

ELECTRICAL CHARACTERISTICS

•	Nominal capacity (2 mA Cont., 5V cut-off)	628 mAh

- Typical Voltage (at + 20 °C)
 9 V
 - AC Impedance @ 1kHz 1,692 mΩ

PHYSICAL CHARACTERISTICS

•	Typical weight	45.3 g (1.6 oz)
•	Typical volume	22.8 cm ³ (1.4 in ³)
•	Terminals	Miniature snap

OPERATING & STORAGE CONDITIONS

•	Operating temperature range	-20°C to 54°C (-4°F to 130°F)
•	Recommended Storage (storage area should be clean, cool, dry and ventilated)	5°C to 30°C (41°F to 86° F)

Delivered capacity is dependent on the applied load, operating temperature and cut-off voltage. Please refer to the charts and

discharge data shown for examples of the energy/service life that the

This data is subject to change. Performance information is typical.



PROFESSIONAL BATTERIES

Procell Professional batteries Berkshire Corporate Park Phone: 1-800-544-5454 (Toll-free)

www.procell.com ERMEC, S.L. BARCELONA



C/ Francesc Teixidó, 22 08918 Badalona SPAIN Tel. +34 902 450 160 info@ermec.com www.ermec.com ERMEC, S.L. - MADRID C/ Puerto Rico, 4 28222 Majadahonda (Madrid) SPAIN

Contact Duracell for the latest information.

battery will provide for various load conditions.


bilbao@ermec.com portugal@ermec.com


14 Research Drive Bethel, CT 06801 U.S.A.

PX16040520 Page 1 of 2

PROCELL® PROFESSIONAL BATTERIES

YPICAL PERFORMANCE









PROFESSIONAL BATTERIES Procell Professional batteries

Berkshire Corporate Park Phone: 1-800-544-5454 (Toll-free)

ERMEC, S.L. BARCELONA C/ Francesc Teixidó, 22 08918 Badalona SPAIN

Tel. +34 902 450 160 info@ermec.com www.ermec.com Constant Temperature - 75 mA



Delivered capacity is dependent on the applied load, operating temperature and cut-off voltage. Please refer to the charts and discharge data shown for examples of the energy/service life that the battery will provide for various load conditions.

This data is subject to change. Performance information is typical. Contact Duracell for the latest information.

ERMEC, S.L. - MADRID C/ Puerto Rico, 4 28222 Majadahonda (Madrid) SPAIN bilbao@ermec.com portugal@ermec.com

Zn / MnO₂

PX16040520 Page 2 of 2