


APEM

IN EMERGENCY
PUSH

SECURITY



ERMEC, S.L. BARCELONA
C/ Francesc Teixidó, 22
E-08918 Badalona
(Spain)

Tel.: (+34) 902 450 160
Fax: (+34) 902 433 088
info@ermec.com
www.ermec.com

ERMEC, S.L. MADRID
C/ Sagasta, 8, 1ª planta
E-28004 Madrid
(Spain)

PORTUGAL
portugal@ermec.com
BILBAO
bilbao@ermec.com

A WORLD OF
SWITCHING CAPABILITIES



APEM

RESISTANT TO AGGRESSIVE USE

Either installed in lifts, door openers or access control systems, vending machines or kiosks, our interface solutions withstand all types of aggressive use.

The standard use of resistant materials like stainless steel or flame-retardant plastics and robust contact mechanisms ensure the durability of our products.

A lab guarantee, IK and IP tested & qualified products

Resistance to demanding environmental requirements (rain/frost/salt/UV)

Resistance to vandalism

Customised products

Materials, colours, contrast, bright or dim illumination, embossing, Braille marking, shapes and dimensions... unlimited combinations are possible.

PANEL MOUNTED SWITCHES

PCB MOUNTED SWITCHES

JOYSTICKS

SWITCH PANELS

LED INDICATORS

LET'S IMAGINE SOLUTIONS TOGETHER

FLEXIBLE DESIGN


With a vertically-integrated production, APEM controls all phases of product development and manufacturing: tooling, moulding, screw machining, marking and assembly.

This flexibility allows us to create a huge variety of products. We certainly have the configuration meeting your requirement. Do not hesitate to request new colours, specific materials, a special backlighting or varied shapes.

APPEALING AESTHETICS


Cooperating with industrial designers, our teams set high standards for the aesthetics and finish of the products they develop. Either in the choice of materials or shapes, every detail is considered to improve the visibility and accessibility of our interface solutions.

Specific marking of tactile areas, high brightness illumination for outdoor applications, illuminated rings without hotspots, particular attention is paid to the cosmetic appearance of our interfaces to best match your equipment.



ACCESS CONTROL

TAILOR-MADE SOLUTION



Specific switch panel, Braille marking and homogeneous backlighting

100% RESISTANT



Robust contacts and mechanism

ANTI-VANDAL SOLUTION



Irremovable anti-jamming switches, waterproof and fire-resistant







PANEL MOUNTED SWITCHES

PCB MOUNTED SWITCHES

JOYSTICKS

SWITCH PANELS

LED INDICATORS

Series	Sealing Technical specifications	Design	Custom options	Robustness
Metal keypads  	IP65 Salt environment	Brushed 316 stainless steel Colour legends Low behind-panel depth Backlighting up to 3 colours Illuminated rings and legends Supplied w. stainless steel front face (series 8) Ø14mm round keys (series 82)	Independent key modules Round keys (Ø17, Ø20) or square keys (17x17, 22x22) (Series 9) Square keys (12.5x12.5 ou 15x15)(Series 8) Braille embossing Supplied with or without front face Optional addition of indicators or displays Compatible w. standard APEM interfaces: CAN, USB, RS232, ZigBee Customizable front face shape and key layout	Indelible recessed marking Protection up to IK09 (Series 9) or IK07 (Series 8) Life expectancy > 1 million cycles
Membrane switch panels 	IP68	Small thickness (less than 1mm) Tailored design at competitive cost (low capital investment)	Numerous options LED indicators Tactile feedback Connectors	Life expectancy > 1 million cycles
Capacitive switch panels 	IP69K	Small thickness Uniform backlighting	-	Up to IK10 Unlimited life expectancy
Rubber keypads 	IP68	Tactile feedback Backlighting	-	Life expectancy > 1 million cycles
Q LED Indicators 	IP67 (option) UL	Wide choice of colours & illuminations 6/8/12/14/16/19 and 22mm models Three bezel shapes Three bezel materials (black, bright or satin chrome) Low behind-panel depth	Marking/engraving on flush version From 2V to 220 Volts Wire or faston terminals	IK10 version available on request Life expectancy > 100 000 hours

TOTAL SEALING









Rain / frost / dust

CUSTOMIZED DESIGN



Specific backlit logo



Series	Sealing Technical specifications	Design	Custom options	Robustness
 AV	Up to IP69K	Metal Many standard shapes	Illuminated, single or bi-colour LED Several terminal types Choice of anodized colours Custom shapes	Up to IK10
 PBA	Up to IP69K	Metal	Illuminated, single, bi-colour or tri-colour LED Several terminal types Custom shapes Choice of anodized colours	Life expectancy > 50 million cycles
 CP	IP69K	Metal Sensitive - Activated by the touch of a finger	Illuminated, single, bi-colour or tri-colour LED Several terminal types Custom shapes Choice of anodized colours	IK10 Life expectancy > 50 million cycles
 CG	-	Sensitive - Activated by the touch of a finger Mounting under glass or polycarbonate panels No panel cut-out required Easy to clean, shock resistant, sealed	Illuminated Silkscreen printed marking	Depending on panel robustness Life expectancy > 50 million cycles
 I	Up to IP67 UL versions	Very wide range Metal or plastic case Dia. 12mm to 25mm actuators	Illuminated Marking Wide choice of colours and shapes	IK06 Life expectancy > 1 million cycles
 Navimec	IP67	Flush with panel Low behind-panel depth	Illuminated Marking Several key colours Several operating forces	Life expectancy > 10 million cycles

SPECIFIC TECHNOLOGY








Backlighting for outdoor use
Manufacturing according to bank
safety standards

PLUG & PLAY




3 axes hall effect joystick /
programmable switch panel / Jog &
shuttle dial / standard USB 2.0 interface

Series	Sealing Technical specifications	Design	Custom options	Robustness
 RS Desktop	3 axes joystick 6-key switch panel Standard USB interface	Modern design with metal insert Ambidextrous	Marking of housing and keys on demand	-
 IP Desktop family	2 or 3 axes joystick 10 to 12 buttons and keys Standard USB interface	Industry standard for PTZ control! Ambidextrous Available with «Soft touch» finish Available with backlit keys	Custom marking of housing and keys on demand	-
 VM Desktop	3 axes joystick 27 keys Standard USB interface	Modern and ergonomic design Palm rest on «Soft touch» version	Marking of housing and keys on demand	-
 HF	1 to 3 axes joystick Available with USB output	Finger operated Compact behind panel	Numerous handles	Up to IP67
 TS	1 or 2 axes joystick Available with USB output	Miniature Very compact behind panel	Numerous handles	Up to IP69K



APEM



- Subsidiaries
- Distributors



ERMEC, S.L. BARCELONA
 C/ Francesc Teixidó, 22
 E-08918 Badalona
 (Spain)

Tel.: (+34) 902 450 160
Fax: (+34) 902 433 088
info@ermec.com
www.ermec.com

ERMEC, S.L. MADRID
 C/ Sagasta, 8, 1ª planta
 E-28004 Madrid
 (Spain)

PORTUGAL
portugal@ermec.com
BILBAO
bilbao@ermec.com

A WORLDWIDE PRESENCE

Whatever the location, an APEM team ready to assist your requirement.

GERMANY

Gewerbehof Giesing
 Paulsdorfferstr. 34, 2. OG
 D-81549 MÜNCHEN
 Tel : (+49) 89 45 99 11 0
 Fax : (+49) 89 48 10 39
info@apem.de

BENELUX

Avenue Excelsiorlaan 21
 1930 ZAVENTEM
 Belgique
 Tel B : (+32) 27 25 05 00
 Tel NL : (+31) (70) 799 91 51
 Fax : (+32) 27 25 22 00
sales@apemswitches.be

CHINA

RongGuang Building, 602A
 11, Changshun Road
 200051 SHANGHAI
 Tel : (+86) 21 62 78 85 46
 (+86) 21 62 78 68 72
 Fax : (+86) 21 62 08 82 09
contact@apem.com.cn

FRANCE

55, avenue Edouard Herriot
 BP1
 82303 CAUSSADE Cedex
 Tel : (+33) 5 63 93 14 98
 Fax : (+33) 5 63 93 19 03
commercial@apem.fr

ITALY

Via Marconi 147G
 12030 MARENE (CN)
 Tel : (+39) 0172 74 31 70
 Fax : (+39) 0172 74 31 71
apem.italia@apem.it

UNITED KINGDOM

Drakes Drive
 LONG CRENDON, Bucks HP18 9BA
 England
 Tel : (+44) 1 844 202400
 Fax : (+44) 1 844 202500
sales@apem.co.uk

SWEDEN

Isafjordsgatan 35
 S-16440 KISTA
 Tel : (+46) 8 626 38 00
 Fax : (+46) 8 626 82 49
info@apem.se

USA

63 Neck Road
 HAVERHILL, MA 01835-8025
 Tel : (+1) 978 372 16 02
 Fax : (+1) 978 372 35 34
info@apem.com

**AND MORE THAN
 130 DISTRIBUTORS
 WORLDWIDE**
*(List available on
www.apemgroup.com)*

www.apemgroup.com