

Variable Flow Pumps



Distribución de componentes eléctricos y electrónicos

Tel.: (+34) 902 450 160

Fax: (+34) 902 433 088

ermec@ermec.com

www.ermec.com



New!

#600 Series Gear Pumps

- ▶ Maximum flow rate 2000 ml/min
- ▶ Compact & light
- ▶ Self-priming
- ▶ Maintenance free
- ▶ Optional food grade materials used

Applications:

- ▶ coffee machines
- ▶ beverage dispensing



Johnson Electric's new #600 series gear pump offers high precision and variable flow control capability to suit the wide range of requirements for liquid pump dispensing. Our products are designed, built, tested, packaged, and shipped to your exact specifications.

We appreciate the opportunity to collaboratively work with your design teams early in the development cycle of the application. We can respond to requirements quickly by networking our know-how across the global Johnson Electric organization and at the same time providing local support to increase efficiency, reduce costs and to streamline application development cycles. Contact us today!

Asia

6-22 Dai Shun St.
Tai Po Industrial Estate
New Territories, Hong Kong
T +852 2663 6541
F +852 2663 6112

Europe

Via Cadamosto 3
20094 Corsico, Milano
Italy
T +39 2 4869 21
F +39 2 4860 0692

North America

10 Progress Drive
Shelton, CT 06484
USA
T +1 203 4475362
F +1 203 4475383

E-mail: commercialsales@johnsonelectric.com

website: www.johnsonelectric.com



switches



solenoids



motors



innovating motion







Technical

#600 Series Gear Pumps

Max Flow Rate	2000 ml/min
Max Discharge Pressure	87 PSI (6 Bar)
Media Temperature	10 - 60 °C
Inlet / Outlet Port OD	6 mm
Weight	255 g
Dimensions (l x w x h)	82 x 66 x 41 mm
Input Power	19 - 45 W
Media Type	liquids, water, high viscosity fluids
Other Features	adjustable speed reversible sanitary self-priming
Optional Feature	thermal overload protection

Supply 24 VDC

Supply 120 VAC(60Hz) / 240 VAC (50 Hz)



RECTIFIER FROM THE CUSTOMER
NOT SUPPLIED BY JE